

## African Plants

[Red List statistics  
methodology](#)

[Summary of recent changes  
Glossary](#)

[National Red List categories](#)

[Assessment](#)

### Browse

[Home](#) >> [Genera: C](#) >> [Genus: Conophytum](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

### Taxonomy

<b>Scientific Name</b>	<b>Conophytum piluliforme (N.E.Br.) N.E.Br. subsp. piluliforme</b>
<b>Higher Classification</b>	Dicotyledons
<b>Family</b>	AIZOACEAE
<b>Synonyms</b>	Conophytum advenum N.E.Br., Conophytum aggregatum (Haw. ex N.E.Br.) N.E.Br., Conophytum archeri Lavis (in part), Conophytum archeri Lavis var. archeri, Conophytum brevipetalum Lavis, Conophytum etaylorii Schwantes, Conophytum leightoniae L.Bolus, Conophytum piluliforme (N.E.Br.) N.E.Br. var. advenum (N.E.Br.) Rawé, Conophytum piluliforme (N.E.Br.) N.E.Br. var. brevipetalum (Lavis) Rawé, Conophytum subconfusum Tischer, Mesembryanthemum aggregatum Haw. ex N.E.Br., Mesembryanthemum piluliforme N.E.Br.



© J.H. Vlok/A.L. Schutte-Vlok

Search for images of *Conophytum piluliforme* subsp. *piluliforme* on [iNaturalist](#)

### National Status

<b>Status and Criteria</b>	<b>Least Concern</b>
<b>Assessment Date</b>	2015/06/10
<b>Assessor(s)</b>	A.J. Young
<b>Justification</b>	Widespread, common and not in

danger of extinction.

## Distribution

---

<b>Endemism</b>	South African endemic
<b>Provincial distribution</b>	Western Cape
<b>Range</b>	Western Little Karoo, Montagu to Calitzdorp and Vanwyksdorp.

## Habitat and Ecology

---

<b>Major system</b>	Terrestrial
<b>Major habitats</b>	Succulent Karoo
<b>Description</b>	Quartz flats.

## Threats

---

There are no severe threats to this taxon.

## Population

---

This taxon is known from several subpopulations, and is often locally common to abundant. Locally common, sometimes locally abundant, several thousand individuals estimated.

<b>Population trend</b>	Stable
-------------------------	--------

## Assessment History

---

<b>Taxon assessed</b>	<b>Status and Criteria</b>	<b>Citation/Red List version</b>
Conophytum piluliforme (N.E.Br.) N.E.Br. subsp. piluliforme	<b>Least Concernal.</b>	Raimondo et al. (2009)

## Bibliography

---

Hammer, S. 2002. Dumpling and his wife: New view of the genus Conophytum. EAE Creative Colour, Norwich.

Hammer, S.A. 1993. The genus Conophytum: A conograph. Succulent Plant Publications, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia

25. South African National  
Biodiversity Institute, Pretoria.

Vlok, J. and Schutte-Vlok, A.L.  
2010. Plants of the Klein Karoo.  
Umdaus Press, Hatfield.

## Citation

---

Young, A.J. 2015. *Conophytum  
piluliforme* (N.E.Br.) N.E.Br. subsp.  
*piluliforme*. National Assessment:  
Red List of South African Plants  
version 2020.1. Accessed on  
2021/10/12

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute (**SANBI**) 2010-12.