

Plants

[Red List statistics](#)
[methodology](#)
[Summary of recent changes](#)
[Glossary](#)
[National Red List categories](#)
[Assessment](#)

Browse

[Home](#) >> [Genera: T](#) >> [Genus: Tylecodon](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

Scientific Name **Tylecodon bodleyae** Van Jaarsv.
Higher Classification Dicotyledons
Family CRASSULACEAE

National Status

Status and Criteria Critically Endangered B1ab(v)+2ab(v)
Assessment Date 2015/05/12
Assessor(s) L. von Staden & P.C.V. Van Wyk
Justification A localized habitat specialist (EOO <10 km²), known from one location where it is declining due to over collecting for the succulent trade.

Distribution

Endemism South African endemic
Provincial distribution Northern Cape
Range Port Nolloth.

Habitat and Ecology


Major system Terrestrial
Major habitats Vyftienmyl se Berge
Description Succulent Shrubland Quartz-rich sandstone crevices, upper south-facing slopes.

Threats

This species is declining due to over collecting of mature individuals from the wild for the succulent trade (P.C.V. van Wyk pers. obs.).

Population

Population Decreasing



Search for images of *Tylecodon bodleyae* on [iNaturalist](#)

trend**Notes**

This species may not be sufficiently distinct from *Tylecodon similis* to warrant recognition (Bruyns in Snijman 2013).

Assessment History

TAXON	STATUS AND ASSESSED CRITERIA	CITATION/RED LIST VERSION
<i>Tylecodon</i>	CR	2015.1
<i>bodleyae</i>	B1ab(v)+2ab(v)	
Van Jaarsv.		
<i>Tylecodon</i>	Rare	Raimondo et al. (2009)
<i>boddleyi</i>		
Van Jaarsv.		
<i>Tylecodon</i>	Rare	Hilton-Taylor (1996)
<i>boddleyi</i>		
Van Jaarsv.		

Bibliography

Hilton-Taylor, C. 1996. Red data list of southern African plants. *Strelitzia* 4. South African National Botanical Institute, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. *Strelitzia* 25. South African National Biodiversity Institute, Pretoria.

Snijman, D.A. 2013. Plants of the Greater Cape Floristic Region 2: The extra Cape flora. *Strelitzia* 30. South African National Biodiversity Institute, Pretoria.

Van Jaarsveld, E. 1992. *Tylecodon boddleyi* (Crassulaceae), a new species from the northwestern Cape. *Cactus and Succulent Journal (USA)* 64(4):57-61.

Van Jaarsveld, E.J. and Koutnik, D. 2004. *Cotyledon* and *Tylecodon*. Umdaus Press, Pretoria.

Citation

von Staden, L. & Van Wyk, P.C.V. 2015. *Tylecodon bodleyae* Van Jaarsv. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/11/30

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute (**SANBI**) 2010-12.