

African Plants

[Red List statistics methodology](#)

[Summary of recent changes Glossary](#)
[Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

[Home](#) >> [Genera: T](#) >> [Genus: Tylecodon](#)

Taxonomy

Scientific Name	Tylecodon faucium (Poelln.) Toelken
Higher Classification	Dicotyledons
Family	CRASSULACEAE
Synonyms	Cotyledon faucium Poelln.

National Status

Status and Criteria	Rare
Assessment Date	2019/11/09
Assessor(s)	D. Raimondo, P.A. Manyama & D.A. Kamundi
Justification	A range-restricted habitat specialist endemic to the Ceres Karoo and Roggeveld Mountains (extent of occurrence 1516 km ²), known from five subpopulations, this species has no recorded threats and is listed Rare nationally and Least Concern globally.

Distribution

Endemism	South African endemic
Provincial distribution	Northern Cape
Range	Ceres Karoo and Roggeveld Mountains.

Habitat and Ecology



Search for images of *Tylecodon faucium* on [iNaturalist](#)

Major system Terrestrial
Major habitats Fynbos, Succulent Karoo
Description Shaded rock crevices, often on south-facing slopes, 1100-1400 m.

Population

Population trend Stable

Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Tylecodon faucium (Poelln.) Toelken	Rare	Raimondo et al. (2009)

Bibliography

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African National Biodiversity Institute, Pretoria.

Snijman, D.A. 2013. Plants of the Greater Cape Floristic Region 2: The extra Cape flora. Strelitzia 30. South African National Biodiversity Institute, Pretoria.

Tölken, H.R. 1985. Crassulaceae. In: O.A. Leistner (ed). Flora of southern Africa 14,1:1-244. Botanical Research Institute, Pretoria.

Van Jaarsveld, E.J. and Koutnik, D. 2004. Cotyledon and Tylecodon. Umdaus Press, Pretoria.

Citation

Raimondo, D., Manyama, P.A. & Kamundi, D.A. 2019. Tylecodon faucium (Poelln.) Toelken. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/12/01

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute (**SANBI**) 2010-12.