

African Plants

[Red List statistics](#)
[methodology](#)
[Summary of recent changes](#)
[Glossary](#)
[National Red List categories](#)
[Assessment](#)

Browse

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

[Home](#) >> [Genera: T](#) >> [Genus: Tylecodon](#)

Taxonomy

Scientific Name **Tylecodon kritzingeri**
Van Jaarsv.
Higher Classification Dicotyledons
Family CRASSULACEAE

National Status

Status and Criteria Vulnerable D2
Assessment Date 2015/05/12
Assessor(s) P.V. Bruyns, E.J. van Jaarsveld, L. von Staden & P.C.V. Van Wyk
Justification A rare, localized species (EOO 189 km²), known from five locations and potentially threatened by habitat degradation due to overgrazing.

Distribution

Endemism South African endemic
Provincial distribution Northern Cape
Range Central mountains of the Richtersveld.



© L. von Staden

Habitat and Ecology

Major system Terrestrial
Major habitats Rosyntjieberg Succulent Shrubland, Central Richtersveld Mountain Shrubland, Stinkfonteinberge Quartzite Fynbos

Search for images of *Tylecodon kritzingeri* on [iNaturalist](#)

Description Sheltered, shaded places among rocks and shrubs on middle to upper slopes.

Threats

In the areas where this species occurs, grazing pressure is currently low. However, as rangelands on the plains and closer to settlements are becoming increasingly degraded, herders are starting to move into montane areas in search of better grazing for their livestock. Severe overgrazing has caused a loss of vegetation cover and a decline in species dependent on nurse-shrubs elsewhere in the Richtersveld, and could potentially have a negative impact on this species as well.

Population

This species is rarely recorded, but is also easily overlooked (Van Jaarsveld and Kounik 2004). Subpopulations are small and localized.

Population Stable trend

Assessment History

Taxon	Status	Citation/Red assessed and Criteria	List version
Tylecodon kritzingeri	VU	D2	2015.1
Van Jaarsv.			
Tylecodon kritzingeri	Rare	Raimondo et al. (2009)	
Van Jaarsv.			
Tylecodon kritzingeri	Rare	Hilton-Taylor (1996)	
Van Jaarsv.			

Bibliography

Hilton-Taylor, C. 1996. Red data list of southern African plants. Strelitzia 4. South African National Botanical Institute, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African

National Biodiversity Institute,
Pretoria.

Snijman, D.A. 2013. Plants of
the Greater Cape Floristic
Region 2: The extra Cape flora.
Strelitzia 30. South African
National Biodiversity Institute,
Pretoria.

Tölken, H.R. 1985.
Crassulaceae. In: O.A. Leistner
(ed). Flora of southern Africa
14,1:1-244. Botanical Research
Institute, Pretoria.

Van Jaarsveld, E.J. 1983.
Tylecodon kritzingeri: A new
Tylecodon (Crassulaceae) from
the north western Cape. *Journal
of South African Botany*
49(3):305-309.

Van Jaarsveld, E.J. 1984.
Tylecodon kritzingeri. Flowering
Plants of Africa 51(1):t. 2006.

Van Jaarsveld, E.J. and Koutnik,
D. 2004. Cotyledon and
Tylecodon. Umdaus Press,
Pretoria.

Williamson, G. 1992. A new
species of *Tylecodon*
(Crassulaceae) from Namibia
and a new variety from the
Richtersveld in South Africa.
Aloe 29(3-4):60-63.

Citation

Bruyns, P.V., van Jaarsveld, E.J.,
von Staden, L. & Van Wyk,
P.C.V. 2015. *Tylecodon
kritzingeri* Van Jaarsv. National
Assessment: Red List of South
African Plants version 2020.1.
Accessed on 2021/12/01

 [Comment on this
assessment](#)