

African Plants

[Red List statistics](#)
[methodology](#)
[Summary of recent changes](#)
[Glossary](#)
[National Red List categories](#)
[Assessment](#)

Browse

- Genera: A
- Genera: B
- Genera: C
- Genera: D
- Genera: E
- Genera: F
- Genera: G
- Genera: H
- Genera: I
- Genera: J
- Genera: K
- Genera: L
- Genera: M
- Genera: N
- Genera: O
- Genera: P
- Genera: Q
- Genera: R
- Genera: S
- Genera: T
- Genera: U
- Genera: V
- Genera: W
- Genera: X
- Genera: Y
- Genera: Z

[Home](#) >> [Genera: C](#) >> [Genus: Conophytum](#)

Taxonomy

| | |
|-----------------------|--|
| Scientific Name | Conophytum jucundum (N.E.Br.) N.E.Br. subsp. |
| Higher Classification | Dicotyledons |
| Family | AIZOACEAE |
| Synonyms | Conophytum admirabilis L.Bolus, Conophytum geyeri L.Bolus, Conophytum gratum (N.E.Br.) N.E.Br. (in part), Conophytum gratum (N.E.Br.) N.E.Br. subsp. gratum, Conophytum jacobsenianum Tischer, Conophytum jucundum (N.E.Br.) N.E.Br., Conophytum longistylum N.E.Br., Conophytum maximum Tischer, Conophytum orbiculum N.E.Br. ex Tischer, Conophytum praerogatum Tischer, Conophytum rarum N.E.Br., Conophytum robustum Tischer, Mesembryanthemum gratum N.E.Br., Mesembryanthemum jucundum N.E.Br. |



© A.J. Young

National Status

Search for images of **Conophytum jucundum** subsp. **jucundum** on [iNaturalist](#)

| | |
|---------------------|--|
| Status and Criteria | Least Concern |
| Assessment Date | 2015/06/30 |
| Assessor(s) | A.J. Young & D. Raimondo |
| Justification | Widespread across the northern Richtersveld (EOO 3746 km ²), and |

known from many subpopulations. There are no specific threats to this taxon which is often locally common in suitable habitat.

Distribution

| | |
|--------------------------------|---|
| Endemism | Not endemic to South Africa |
| Provincial distribution | Northern Cape |
| Range | Southern Sperrgebiet (Namibia) to the northern extent of the Richtersveld, close to the Orange River. |

Habitat and Ecology

| | |
|-----------------------|-----------------------------|
| Major system | Terrestrial |
| Major habitats | Desert, Succulent Karoo |
| Description | Quartz and gneiss outcrops. |

Threats

No significant threats.

Population

This taxon is locally very common.

| | |
|-------------------------|--------|
| Population trend | Stable |
|-------------------------|--------|

Assessment History

| Taxon assessed | Status and Criteria | Citation/Red List version |
|---|---------------------|---------------------------|
| Conophytum jucundum (N.E.Br.) subsp. jucundum | Least Concern | Raimondo et al. (2009) |

Bibliography

Hammer, S. 2002. Dumpling and his wife: New view of the genus *Conophytum*. EAE Creative Colour, Norwich.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. *Strelitzia* 25. South African National Biodiversity Institute, Pretoria.

Citation

Young, A.J. & Raimondo, D. 2015.
Conophytum jucundum (N.E.Br.)
N.E.Br. subsp. *jucundum*. National
Assessment: Red List of South
African Plants version 2020.1.
Accessed on 2021/10/07

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute ([SANBI](#)) 2010-12.