

## Plants

[Red List statistics](#)  
[methodology](#)
[Summary of recent changes](#)  
[Glossary](#)  
[Guidelines for EIAs](#)
[National Red List categories](#)
[Assessment](#)

### Browse

[Home](#) >> Genera: C >> Genus: **Conophytum**

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

### Taxonomy

**Scientific Name** **Conophytum auriflorum** Tischer subsp. **auriflorum**  
**Higher Classification** Dicotyledons  
**Family** AIZOACEAE

### National Status

**Status and Criteria** Rare  
**Assessment** 2015/04/16  
**Date**  
**Assessor(s)** A.J. Young, S.A. Hammer & J.E. Victor  
**Justification** A range-restricted (EOO 255 km<sup>2</sup>), but locally common habitat specialist that is not threatened.

### Distribution

**Endemism** South African endemic  
**Provincial distribution** Northern Cape  
**Range** Komaggas.

### Habitat and Ecology


**Major system** Terrestrial  
**Major habitats** Succulent Karoo  
**Description** Quartz outcrops in Namaqualand Klipkoppe Shrubland.

### Threats

There are no known severe threats that are likely to lead to this taxon's extinction.

### Population

This taxon has a limited distribution range, but is locally abundant. The population size is estimated to be >5000 individuals.



© A.J. Young

Search for images of **Conophytum auriflorum** subsp. **auriflorum** on [iNaturalist](#)

**Population** Stable  
**trend**

## Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Conophytum auriflorum Tischer subsp. auriflorum	Rare	Raimondo et al. (2009)
Conophytum auriflorum Tischer subsp. auriflorum	Lower Risk - Near Threatened	Victor (2002)
Conophytum auriflorum Tischer subsp. auriflorum	Rare	Hilton-Taylor (1996)

## Bibliography

Hammer, S. 2002. Dumpling and his wife: New view of the genus Conophytum. EAE Creative Colour, Norwich.

Hammer, S.A. 1993. The genus Conophytum: A conograph. Succulent Plant Publications, Pretoria.

Hilton-Taylor, C. 1996. Red data list of southern African plants. Strelitzia 4. South African National Botanical Institute, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African National Biodiversity Institute, Pretoria.

Victor, J.E. 2002. South Africa. In: J.S. Golding (ed), Southern African plant Red Data Lists. Southern African Botanical Diversity Network Report 14 (pp. 93-120), SABONET, Pretoria.

## Citation

Young, A.J., Hammer, S.A. & Victor, J.E. 2015. *Conophytum auriflorum* Tischer subsp. *auriflorum*. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/09/22

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute (**SANBI**) 2010-12.