

African Plants

[Red List statistics](#)
[methodology](#)
[Summary of recent changes](#)
[Glossary](#)
[National Red List categories](#)
[Assessment](#)

Browse

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

[Home](#) >> [Genera: C](#) >> [Genus: Conophytum](#)

Taxonomy

Scientific Name	Conophytum devium G.D.Rowley subsp. stiriferum S.A.Hammer & Barnhill
Higher Classification	Dicotyledons
Family	AIZOACEAE

National Status

Status and Criteria	Rare
Assessment Date	2015/06/30
Assessor(s)	A.J. Young
Justification	A localized taxon (EOO <300 km ²) known from fewer than five subpopulations, but quite likely more common, as it occurs in a poorly explore area and is easily overlooked. It is not threatened.

Distribution

Endemism	South African endemic
Provincial distribution	Northern Cape
Range	Richtersveld north of Steinkopf.

Habitat and Ecology

Major system	Terrestrial
Major habitats	Desert, Succulent Karoo
Description	Quartzite or feldspar hills in Eastern Gariep Rocky Desert and



Search for images of **Conophytum devium subsp. stiriferum** on [iNaturalist](#)

Kosiesberg
Succulent
Shrubland.

Threats

No significant threats. Although the area is overstocked with livestock, this subspecies is not suspected to be negatively impacted, as plants are very small and unlikely to be affected by grazing or trampling.

Population

This subspecies is often locally abundant, but subpopulations are scattered across a wide and still poorly explored area, making it difficult to estimate the population size. Plants are very small and easily overlooked.

Population Stable trend

Assessment History

Taxon assessed	Status	Citation/Red List version
Criteria		
Conophytum devium	Rare	2015.1
G.D.Rowley		
subsp.		
stiriferum		
S.A.Hammer		
& Barnhill		
Conophytum devium	Least Concern	Raimondo et al. (2009)
G.D.Rowley		
subsp.		
stiriferum		
S.A.Hammer		
& Barnhill		

Bibliography

Hammer, S. 2002. Dumpling and his wife: New view of the genus Conophytum. EAE Creative Colour, Norwich.

Hammer, S. and Barnhill, C. 1997. Odes part two: descriptions of new Mesembryanthema. Bradleya 15:42-47.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African National Biodiversity Institute, Pretoria.

Citation

Young, A.J. 2015. *Conophytum devium* G.D.Rowley subsp.
stiriferum S.A.Hammer & Barnhill.
National Assessment: Red List of
South African Plants version
2020.1. Accessed on 2021/09/23

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute (**SANBI**) 2010-12.