

African Plants

[Red List statistics methodology](#)

[Summary of recent changes Glossary Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

[Home](#) >> [Genera: C](#) >> [Genus: Conophytum](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

| | |
|------------------------------|--|
| Scientific Name | Conophytum uviforme (Haw.) N.E.Br. subsp. rauhii (Tischer) S.A.Hammer |
| Higher Classification | Dicotyledons |
| Family | AIZOACEAE |
| Synonyms | Conophytum rauhii Tischer |

National Status

| | |
|----------------------------|---|
| Status and Criteria | Rare |
| Assessment Date | 2015/06/10 |
| Assessor(s) | A.J. Young |
| Justification | A rare, range-restricted taxon (EOO 11 km ²), but not threatened. |

Distribution

| | |
|--------------------------------|-----------------------------|
| Endemism | South African endemic |
| Provincial distribution | Northern Cape |
| Range | Namaqualand near Springbok. |


Habitat and Ecology

| | |
|-----------------------|-----------------------------------|
| Major system | Terrestrial |
| Major habitats | Succulent Karoo |
| Description | Shallow grit pans of fine quartz. |

Threats

There are no significant threats to this taxon.

Population



© A.J. Young

Search for images of *Conophytum uviforme subsp. rauhii* on [iNaturalist](#)

This taxon is known from a small area, where there are several small, scattered subpopulations, each consisting of several hundred individuals. The population size is difficult to estimate, but is likely to be more than 1000 mature individuals, and it is not declining.

Population trend Stable

Assessment History

| Taxon assessed | Status and Criteria | Citation/Red List version |
|---|----------------------|---------------------------|
| Conophytum uviforme (Haw.) N.E.Br. subsp. rauhii (Tischer) S.A.Hammer | Rare | 2017.1 |
| Conophytum uviforme (Haw.) N.E.Br. subsp. rauhii (Tischer) S.A.Hammer | Least Concern | Raimondo et al. (2009) |

Bibliography

Hammer, S. 2002. Dumpling and his wife: New view of the genus Conophytum. EAE Creative Colour, Norwich.

Hammer, S.A. 1993. The genus Conophytum: A conograph. Succulent Plant Publications, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African National Biodiversity Institute, Pretoria.

Citation

Young, A.J. 2015. Conophytum uviforme (Haw.) N.E.Br. subsp. rauhii (Tischer) S.A.Hammer. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/09/28

 [Comment on this assessment](#)

