

Plants

[Red List statistics methodology](#)

[Summary of recent changes Glossary Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

[Home](#) >> [Genera: H](#) >> [Genus: Haworthiopsis](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

Scientific Name **Haworthiopsis bruynsii (M.B.Bayer) G.D.Rowley**

Higher Classification Monocotyledons

Family ASPHODELACEAE

Synonyms Haworthia bruynsii
M.B.Bayer

National Status

Status and Criteria **Endangered B1ab(iii)+2ab(iii)**

Assessment Date 2014/03/25

Assessor(s) J.H. Vlok, D. Raimondo & L. von Staden

Justification EOO 52 km², known from three locations. It has lost adult individuals as a result of harvesting for horticultural purposes and is currently threatened by livestock grazing which is causing continuing decline of its habitat.

Distribution

Endemism South African endemic

Provincial distribution Eastern Cape

Range Steytlerville to Kleinpoort.

Habitat and Ecology

Major system Terrestrial



Major habitats Willowmore Gwarrieveld

Description Succulent karoo shrubland, hard ground under small bushes on low, stony hills.

Threats

Threatened by ongoing habitat loss and degradation due to overgrazing, as well as illegal removal of wild plants for the succulent trade.

Population



Population trend Decreasing

Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Haworthiopsis bruynsii (M.B.Bayer) G.D.Rowley	EN B1ab(iii)+2ab(iii)	2014.1
Haworthia bruynsii M.B.Bayer	EN B1ab(iii)	Raimondo et al. (2009)
Haworthia bruynsii M.B.Bayer	Vulnerable	Hilton-Taylor (1996)

Bibliography

- Bayer, M.B. 1982. The new *Haworthia* handbook. National Botanical Gardens of South Africa.
- Bayer, M.B. 1999. *Haworthia Revisited: A revision of the genus*. Umdaus Press, Hatfield.
- Craib, C. 1990. Some rare *Haworthias* in South Africa. *Aloe* 27:23-26.
- Goldblatt, P. and Manning, J.C. 2000. Cape Plants: A conspectus of the Cape Flora of South Africa. *Strelitzia* 9. National Botanical Institute, Cape Town.
- Hilton-Taylor, C. 1996. Red data list of southern African plants. *Strelitzia* 4. South African National Botanical Institute, Pretoria.
- Pilbeam, J.W. 1983. *Haworthia and Astroloba, a collector's guide*. B.T. Batsford Ltd., London.
- Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. *Strelitzia* 25. South African National Biodiversity Institute, Pretoria.
- Rowley, G.D. 2013. Generic concepts in the Alooideae. Part 3 - The phylogenetic story. *Alsterworthia International Special Issue* 10:1-6.
- Scott, C.L. 1985. The genus *Haworthia*, a taxonomic revision. Aloe Books, Johannesburg.
- Victor, J.E. and Dold, A.P. 2003. Threatened plants of the Albany Centre of Floristic Endemism, South Africa. *South African Journal of Science* 99:437-446.

Citation

Vlok, J.H., Raimondo, D. & von Staden, L. 2014. *Haworthiopsis bruynsii* (M.B.Bayer) G.D.Rowley. National Assessment: Red List

of South African Plants version 2020.1.
Accessed on 2021/11/23

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute ([SANBI](#)) 2010-12.