

African Plants

[Red List statistics methodology](#)

[Summary of recent changes Glossary](#)
[Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

[Home](#) >> [Genera: S](#) >> [Genus: Strumaria](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

Scientific Name	Strumaria aestivalis Snijman
Higher Classification	Monocotyledons
Family	AMARYLLIDACEAE
Synonyms	Bokkeveldia aestivalis (Snijman) D. & U. Müll.-Doblies

National Status


Status and Criteria	Vulnerable D2
Assessment Date	2004/07/20
Assessor(s)	D.A. Snijman & J.E. Victor
Justification	A range-restricted species (EOO<625 km ²) known from three locations. Potentially threatened by illegal harvesting for horticultural purposes.

Distribution

Endemism	South African endemic
Provincial distribution	Northern Cape
Range	Loeriesfontein.

Habitat and Ecology

Major system	Terrestrial
Major habitats	Hantam Karoo
Description	Namaqualand Klipkoppe Shrubland, in shaded sites on south- to southeast-facing slopes or banks of seasonal streams, 950 m.



Search for images of *Strumaria aestivalis* on [iNaturalist](#)

Threats

Harvesting [gathering]

Population

Population trend Stable

Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Strumaria aestivalis Snijman	VU D2	Raimondo et al. (2009)
Strumaria aestivalis Snijman	VU D2	Victor (2002)
Strumaria aestivalis Snijman	Rare	Hilton-Taylor (1996)

Bibliography

Hilton-Taylor, C. 1996. Red data list of southern African plants. *Strelitzia* 4. South African National Botanical Institute, Pretoria.

Hilton-Taylor, C. Unpublished. Succulent Karoo Red Data List (version 1997 - in preparation). SANBI.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. *Strelitzia* 25. South African National Biodiversity Institute, Pretoria.

Snijman, D.A. 1992. Notes on the Strumariinae (Amaryllidaceae : Amaryllideae): six new taxa in Strumaria and Hessea from the central and northwestern Cape, South Africa, and southern Namibia. *Bothalia* 22(1):1-11.

Snijman, D.A. 1992. Systematic studies in the tribe Amaryllidae (Amaryllidaceae). Unpublished Ph.D., University of Cape Town.

Snijman, D.A. 1994. Systematics of Hessea, Strumaria and Carpolyza (Amaryllideae: Amaryllidaceae). *Contributions from the Bolus Herbarium* 16:1-162.

Snijman, D.A. 1999. A new species, notes on subgeneric taxa, and new synonyms in Hessea (Amaryllidaceae: Amaryllideae)

from South Africa. *Novon* 9(1):107-110.

Victor, J.E. 2002. South Africa. In: J.S. Golding (ed), Southern African plant Red Data Lists. Southern African Botanical Diversity Network Report 14 (pp. 93-120), SABONET, Pretoria.

Citation

Snijman, D.A. & Victor, J.E. 2004. *Strumaria aestivalis* Snijman. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/11/29

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute ([SANBI](#)) 2010-12.