

Plants

[Red List statistics methodology](#)

[Summary of recent changes Glossary](#)
[Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

[Home](#) >> [Genera: S](#) >> [Genus: Strumaria](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

Scientific Name	Strumaria karoocica (W.F.Barker) Snijman
Higher Classification	Monocotyledons
Family	AMARYLLIDACEAE
Synonyms	Gemmaria karoocica (W.F.Barker) D.& U.Müll.-Doblies, Hessea karoocica W.F.Barker, Periphanes karoocica (W.F.Barker) F.M.Leight.

National Status


Status and Criteria	Rare
Assessment Date	2004/07/20
Assessor(s)	D.A. Snijman & J.E. Victor
Justification	Known from less than 10 sites. Subpopulations comprise small, fairly dense aggregations of a few hundred bulbs. No known threats.

Distribution

Endemism	South African endemic
Provincial distribution	Northern Cape, Western Cape
Range	Middelpos to Sutherland and Matjiesfontein.

Habitat and Ecology

Major system	Terrestrial
Major habitats	Succulent Karoo
Description	Shallow clay soils, in seasonally damp depressions.



Search for images of *Strumaria karoocica* on [iNaturalist](#)

Population

Population trend Stable

Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Strumaria karoocica (W.F.Barker) Snijman	Rare	Raimondo et al. (2009)
Strumaria karoocica (W.F.Barker) Snijman	Lower Risk - Least Concern	Victor (2002)
Strumaria karoocica (W.F.Barker) Snijman	Not Threatened	Hilton-Taylor (1996)
Hessea karoocica W.F.Barker	Rare	Hall et al. (1980)

Bibliography

Hall, A.V., De Winter, M., De Winter, B. and Van Oosterhout, S.A.M. 1980. Threatened plants of southern Africa. South African National Scientific Programmes Report 45. CSIR, Pretoria.

Hilton-Taylor, C. 1996. Red data list of southern African plants. Strelitzia 4. South African National Botanical Institute, Pretoria.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. Strelitzia 25. South African National Biodiversity Institute, Pretoria.

Snijman, D.A. 1994. Systematics of Hessea, Strumaria and Carpolyza (Amaryllideae: Amaryllidaceae). Contributions from the Bolus Herbarium 16:1-162.

Snijman, D.A. 2013. Plants of the Greater Cape Floristic Region 2: The extra Cape flora. Strelitzia 30. South African National Biodiversity Institute, Pretoria.

Victor, J.E. 2002. South Africa. In: J.S. Golding (ed), Southern African plant Red Data Lists. Southern African Botanical Diversity Network Report 14 (pp. 93-120), SABONET, Pretoria.

Citation

Snijman, D.A. & Victor, J.E. 2004.

Strumaria karoica (W.F.Barker)
Snijman. National Assessment: Red
List of South African Plants version
2020.1. Accessed on 2021/11/29

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute ([SANBI](#)) 2010-12.