

Plants

[Red List statistics methodology](#)

[Summary of recent changes](#)
[Glossary](#) [Guidelines for EIAs](#)

[National Red List categories](#)

[Assessment](#)

Browse

[Home](#) >> [Genera: S](#) >> [Genus: Strumaria](#)

- [Genera: A](#)
- [Genera: B](#)
- [Genera: C](#)
- [Genera: D](#)
- [Genera: E](#)
- [Genera: F](#)
- [Genera: G](#)
- [Genera: H](#)
- [Genera: I](#)
- [Genera: J](#)
- [Genera: K](#)
- [Genera: L](#)
- [Genera: M](#)
- [Genera: N](#)
- [Genera: O](#)
- [Genera: P](#)
- [Genera: Q](#)
- [Genera: R](#)
- [Genera: S](#)
- [Genera: T](#)
- [Genera: U](#)
- [Genera: V](#)
- [Genera: W](#)
- [Genera: X](#)
- [Genera: Y](#)
- [Genera: Z](#)

Taxonomy

Scientific Name	Strumaria karoopoortensis (D.Müll.-Doblies & U.Müll.-Doblies) Snijman
Higher Classification	Monocotyledons
Family	AMARYLLIDACEAE
Synonyms	Gemmaria karooportensis D.Müll.-Doblies & U.Müll.-Doblies

National Status

Status and Criteria	Vulnerable D1
Assessment Date	2007/08/10
Assessor(s)	D.A. Snijman & D. Raimondo
Justification	Known from two small, disjunct subpopulations that together comprise fewer than 1000 mature individuals.

Distribution

Endemism	South African endemic
Provincial distribution	Western Cape
Range	Southern Tanqua Karoo to Anysberg.


Habitat and Ecology

Major system	Terrestrial
Major habitats	Western Little Karoo, Tanqua Karoo
Description	Succulent Karoo, in heavy Dwyka- and Ecca-derived soils on south- and east-facing slopes.

Threats

No known threats.

Population



iNaturalist

Population trend Stable

Conservation

Protected in the Anysberg Nature Reserve.

Assessment History

Taxon assessed	Status and Criteria	Citation/Red List version
Strumaria karoopoortensis (D.& U.Müll.-Doblies) Snijman	VU D1	Raimondo et al. (2009)
Strumaria karoopoortensis (D.& U.Müll.-Doblies) Snijman	Lower Risk Near Threatened	Victor (2002)
Strumaria karoopoortensis (D.& U.Müll.-Doblies) Snijman	Rare	Hilton-Taylor (1996)

Bibliography

Hilton-Taylor, C. 1996. Red data list of southern African plants. *Strelitzia* 4. South African National Botanical Institute, Pretoria.

Müller-Doblies, D. and Müller-Doblies, U. 1985. De Liliifloris notulae 2: De taxonomia subtribus Strumariinae (Amaryllidaceae). *Botanische Jahrbücher für Systematik* 107:17-47.

Raimondo, D., von Staden, L., Foden, W., Victor, J.E., Helme, N.A., Turner, R.C., Kamundi, D.A. and Manyama, P.A. 2009. Red List of South African Plants. *Strelitzia* 25. South African National Biodiversity Institute, Pretoria.

Snijman, D.A. 1992. Notes on the Strumariinae (Amaryllidaceae : Amaryllideae): six new taxa in Strumaria and Hessea from the central and northwestern Cape, South Africa, and southern Namibia. *Bothalia* 22(1):1-11.

Snijman, D.A. 1992. Systematic studies in the tribe Amaryllidae (Amaryllidaceae). Unpublished Ph.D., University of Cape Town.

Snijman, D.A. 1994. Systematics of Hessea, Strumaria and Carpolyza (Amaryllideae: Amaryllidaceae). *Contributions from the Bolus Herbarium* 16:1-162.

Snijman, D.A. 2013. Plants of the Greater Cape Floristic Region 2: The extra Cape flora. *Strelitzia* 30. South African National Biodiversity Institute, Pretoria.

Victor, J.E. 2002. South Africa. In: J.S. Golding (ed), Southern African plant Red Data Lists. Southern African Botanical Diversity Network Report 14 (pp. 93-120), SABONET, Pretoria.

Citation

Snijman, D.A. & Raimondo, D. 2007. *Strumaria karoopoortensis* (D.Müll.-Doblies & U.Müll.-Doblies) Snijman. National Assessment: Red List of South African Plants version 2020.1. Accessed on 2021/11/29

 [Comment on this assessment](#)

(c) South African National Biodiversity Institute ([SANBI](#)) 2010-12.